

## DTCM110-36

## C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

Optical Specifications	
Magnification (x)	0.460
Object Field of View ( $\Phi$ mm)	36
Working Distance (mm)	110±2
Max Sensor Size (Фmm)	16.6(1")
Best Aperture (F/#)	7.8
Telecentricity typical (max) (deg)	<0.1
Distortion typical (max) (%)	<0.1
MTF30 (lp/mm)	>100
Depth of Field (mm)	±3.0@F16
Length of I/O (mm)	284±2



Field of View (mm × mm)		
1" PYTHON 5000(12.43x9.83)	27.0x21.4	
1" IMX255(14.19x7.51)	30.8x16.3	
1" IMX183(13.13x8.76)	28.5x19.0	
Mechanical Specifications		
Mount	С	
Length (mm)	156.4	
Weight (kg)	0.5	

Compatible Lighting	
Telecentric LED Lighting	DTCL-36-xW-y
	Beam Diameter 36mm

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.



