

## DTCM111-64H-AL

## C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

Optical Specifications	
Magnification (x)	0.288
Object Field of View ( $\Phi$ mm)	64
Working Distance (mm)	158±3
Max Sensor Size (Фmm)	18.4(1.1")
Best Aperture (F/#)	6.2
Telecentricity typical (max) (deg)	<0.1
Distortion typical (max) (%)	<0.1
MTF30 (lp/mm)	>150
Depth of Field (mm)	±7.8@F16
Length of I/O (mm)	377±3



Field of View (mm × mm)		
1" IMX183 (13.13x8.7	76)	45.6x30.4
1.1" IMX253 (14.19x10	.38)	49.3x36.0
Mechanical Specifications		
Mount		С
Length (mm)		201.7
Weight (kg)		0.9
Compatible Lighting		
Telecentric LED Lighting	DTCL-64H-xW-y	
	Beam Diameter 64Hmm	

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.



