

DTCM111-72-AL

C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

and big depth of held for high end application.		
Optical Specifications		
Magnification (x)	0.256	
Object Field of View (Фmm)	72	
Working Distance (mm)	178±3	
Max Sensor Size (Фmm)	18.4(1.1")	
Best Aperture (F/#)	6.2	
Telecentricity typical (max) (deg)	<0.1	
Distortion typical (max) (%)	<0.1	

|--|

Field of View (mm × mm)			
1" IMX183 (13.13x8.76)		51.3x34.2	
1.1" IMX253 (14.19x10.38)		55.4x40.5	
Mechanical Specifications			
Mount		С	
Length (mm)		221.7	
Weight (kg)		1.2	
Compatible Lighting			
Telecentric LED Lighting	DTCL-72-xW-y		
	Beam Diameter 72mm		

Notes:

1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.

>145

±6.7@F11

417±3

2. Length of I/O = WD + Length + Back Focal Length.

MTF30 (lp/mm)

Depth of Field (mm)

Length of I/O (mm)



