

DTCM175-258-M58-AL

Large Format Bi-telecentric Lens

- Optimized for 4/3"~44mm M-mount or other mount cameras;
- FOV from 26mm upto 300mm;
- High resolution, low distortion and homogeneous image quality;
- Full test report for each units are provided;
- Customized mounts available.



| Optical Specifications | |
|------------------------------------|-----------|
| Magnification (x) | 0.112 |
| Object Field of View (Φmm) | 258 |
| Working Distance (mm) | 340±5 |
| Max Sensor Size (Φmm) | 29(1.75") |
| Best Aperture (F/#) | 6.8 |
| Telecentricity typical (max) (deg) | <0.1 |
| Distortion typical (max) (%) | <0.1 |
| MTF30 (lp/mm) | >130 |
| Depth of Field (mm) | ±50.7@F16 |
| Length of I/O (mm) | 853±5 |

| Field of View (mm × mm) | |
|-------------------------------|--------------|
| 1.75" CMV12000 (22.53x16.90) | 201.2x150.9 |
| 1.75" PYTHON16k (18.43x18.43) | 164.6x164.6 |
| 1.75" LineScan-4k (28.8mm) | 257.1mm |
| Mechanical Specifications | |
| Mount | M58 or other |
| Length(mm) | 501.2 |
| Weight(kg) | - |
| Compatible Lighting | |
| Telecentric LED Lighting | LP270-90 |

Notes:

1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
2. Length of I/O = WD + Length + Back Focal Length.

