

DTCM430H-90-M58-AL

Large Format Bi-telecentric Lens

- Optimized for 4/3"~44mm M-mount or other mount cameras;
- FOV from 26mm upto 300mm;
- High resolution, low distortion and homogeneous image quality;
- Full test report for each units are provided;
- · Customized mounts available.



Optical Specifications		
Magnification (x)	0.262	
Object Field of View (Фmm)	90	
Working Distance (mm)	208±3	
Max Sensor Size (Фmm)	23.6(4/3")	
Best Aperture (F/#)	6.2	
Telecentricity typical (max) (deg)	<0.1	
Distortion typical (max) (%)	<0.1	
MTF30 (lp/mm)	>144	
Depth of Field (mm)	±9.3@F16	
Length of I/O (mm)	488±3	

Field of View (mm × mm)		
4/3" Keyence 21M (17.86x14.32)		68.2x54.7
4/3" PYTHON 12K (18.43x13.82)		70.3x52.7
4/3" CMV8000 (18.48x13.73)		70.5x52.4
Mechanical Specifications		
Mount		M42/M58/F
Length (mm)		267.6
Weight (kg)		2.2
Compatible Lighting		
Telecentric LED Lighting	DTCL-90-xW-y	
	Beam Diameter 90mm	

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.



